UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/562,617	05/23/2007	Bas Driesen	Driesen 5-3	6193
	7590 07/30/200 N & LEWIS, LLP	EXAMINER		
1300 POST RO SUITE 205	· ·	GU, YU		
FAIRFIELD, CT 06824			ART UNIT	PAPER NUMBER
			2617	
			MAIL DATE	DELIVERY MODE
			07/30/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)			
Office Action Summary		10/562,617	DRIESEN ET AL.			
		Examiner	Art Unit			
		YU (Andy) GU	2617			
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)⊠	Responsive to communication(s) filed on 11 Ju	una 2000				
•	This action is FINAL . 2b) This action is non-final.					
3)□	<i>,</i> —					
J)الــا	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
	closed in accordance with the practice under 2	x parte Quayre, 1999 C.D. 11, 40	0.0.210.			
Dispositi	on of Claims					
4)🛛	☑ Claim(s) <u>1-30</u> is/are pending in the application.					
	4a) Of the above claim(s) is/are withdrawn from consideration.					
5)	5) Claim(s) is/are allowed.					
6)⊠	6)⊠ Claim(s) <u>1-30</u> is/are rejected.					
7)	Claim(s) is/are objected to.					
8)□	Claim(s) are subject to restriction and/or	r election requirement.				
Applicati	on Papers					
9)□	The specification is objected to by the Examine	r.				
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
, —	Applicant may not request that any objection to the					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority ι	ınder 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
2) Notic 3) Inform	e of References Cited (PTO-892) se of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate			

Art Unit: 2617

DETAILED ACTION

Status of Claims

- 1. Applicant's amendment, filed on 6/11/2009, has been entered and carefully considered. Claims 1-3, 11, 15, 17, 24, 27 and 30 have been amended. No claims canceled. Accordingly, claims 1-30 are pending.
- 2. In light of Applicant's amendment, objections to claims 11 and 24, under minor informality, are withdrawn.

Claim Rejections - 35 USC § 112

- 3. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 4. Claims 2, 3, 16, 17, 27 and 30 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. When using the word "said" in place of an article, the claimed the limitation must have a clear and explicit antecedent basis. Claim 2 recites "said grouping", however, there's no clear and explicit antecedent for the limitation grouping (i.e. neither claim 1 nor 2 recites "a grouping"). The examiner recommends changing "said grouping" to "the grouping", should the Applicant choose to continue the prosecution. Appropriate correction is required. Claims 3, 16, 17, 27 and 30 are rejected for the similar reason.

Claim Rejections - 35 USC § 102

5. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Art Unit: 2617

6. Claims 1, 4, 8-10, 12-13, 15, 18, 22-23 and 25-30 are rejected under 35 U.S.C. 102(e) as being anticipated by US 7352688 B1 Perahia et al. (hereinafter Perahia).

Regarding **claim 1** (currently amended), Perahia discloses a method for transmitting data in a multiple antenna communication system having N (see at least column 4 lines 16-21) transmit antennas (see at least Abstract), said method comprising the step of:

- transmitting a legacy preamble having at least one long training symbol (see at least column Figure 5 lines 24-45),
- and at least one additional (e.g. two long training symbols as shown in Figure 5)
 long training symbol on each of said N transmit antennas (see at least column

 Figure 5 lines 24-45),
- each of said long training symbols having a plurality (e.g. 64 subcarrier values) of subcarriers (see at least column 3 lines 50-67),
- wherein said subcarriers are grouped into a plurality of subcarrier groups (e.g. by virtue transmitting via multiple antennas, in the system according to Perahia, each of these antennas is used to transmit OFDM symbols, wherein each OFDM symbol is modulated by a group of 64 subcarriers, therefore, each transmission of OFDM symbols on multiple antennas constitutes as grouping of subcarriers e.g. two antennas requires two groups of 64 sub-carriers, see at least column 3 lines 54-60, column 4 lines 17-22 and column 5 lines 16-27),
- and wherein each subcarrier group <u>comprises two or more adjacent subcarriers</u>
 (e.g. "a <u>series</u> of 64 subcarriers values", therefore 64 adjacent subcarriers) <u>and</u> is

transmitted on a different transmit antenna in a given time interval (see at least column 3 lines 54-60, column 4 lines 17-22 and column 5 lines 16-27).

Regarding **claim 4** (original), Perahia discloses the limitations as shown in the rejection of claim **1**. Perahia further discloses:

 wherein each of said transmit antennas transmits a total of N (e.g. 2) long training symbols (see at least Figure 5 and column 6 lines 29-45).

Regarding **claim 8** (original), Perahia discloses the limitations as shown in the rejection of claim **1**. Perahia further discloses:

 wherein said legacy preamble further comprises at least one short training symbol (see at least Figure 5 and column 5 lines 30-35).

Regarding **claim 9**(original), Perahia discloses the limitations as shown in the rejection of claim **1**. Perahia further discloses:

• wherein said legacy preamble further comprises at least one SIGNAL field (see at least Figure 5 and column 6 lines 52-57).

Regarding **claim 10**(original), Perahia discloses the limitations as shown in the rejection of claim **1**. Perahia further discloses:

wherein said legacy preamble is an 802.11 a/g preamble (see at least column 6 lines 32-36).

Regarding **claim 12**(original), Perahia discloses the limitations as shown in the rejection of claim **1**. Perahia further discloses:

 wherein N is two and wherein said transmitting step further comprises (see at least Figure 1-3) Application/Control Number: 10/562,617

Art Unit: 2617

o the step of transmitting a legacy preamble having at least one long training symbol and one additional long training symbol (e.g. total of 2 LTS)on each of said two transmit antennas (see at least Figure 5),

Page 5

o wherein half of the subcarriers (e.g. subcarrier 0-31 of the 64 subcarriers, along with the subcarrier 32-64 of the 64 subcarriers) of the long training symbol are in a first subcarrier group (as applied to the first antenna) and the remaining half of the subcarriers (e.g. subcarrier 32-64 of the 64 subcarriers, along with the subcarrier 0-31 of the 64 subcarriers) of the long training symbol are in a second subcarrier group (e.g. as applied to the second antenna) (see at least column 3 lines 54-60, column 4 lines 17-22 and column 5 lines 16-27).

Regarding **claim 13**(original), Perahia discloses the limitations as shown in the rejection of claim **1**. Perahia further discloses:

 whereby a lower order receiver (e.g. SISO receiver) can interpret said transmitted data (see at least column 9 lines 44-65).

Regarding **claim 15** (currently amended), Perahia discloses a *transmitter in a multiple* antenna communication system, comprising:

N transmit antennas (see at least Figure. 3) for transmitting a legacy preamble
having at least one long training symbol (see at least column Figure 5 lines 2445),

Application/Control Number: 10/562,617

Art Unit: 2617

 and at least one additional long training symbol(e.g. two long training symbols as shown in Figure 5) on each of said N transmit antennas (see at least column Figure 5 lines 24-45),

Page 6

- each of said long training symbols having a plurality of subcarriers(see at least column 3 lines 50-67),
- wherein said subcarriers are grouped into a plurality of subcarrier groups (e.g. by virtue of multiple antennas, each of these antennas is used to transmit OFDM symbols modulated by a group of 64 subcarriers, e.g. two antennas requires two groups of 64 sub-carriers, see at least column 3 lines 54-60, column 4 lines 17-22 and column 5 lines 16-27),
- and wherein each subcarrier group <u>comprises two or more adjacent subcarriers</u>
 and (e.g. "a <u>series</u> of 64 subcarriers values", therefore 64 adjacent subcarriers) is
 transmitted on a different transmit antenna in a given time interval (see at least
 column 3 lines 54-60, column 4 lines 17-22 and column 5 lines 16-27).

Regarding **claim 18** (original), Perahia discloses the limitations as shown in the rejection of claim **15**. Perahia further discloses:

 wherein each of said transmit antennas transmits a total of N long training symbols (see at least Figure 5 and column 6 lines 29-45).

Regarding **claim 22** (original), Perahia discloses the limitations as shown in the rejection of claim **15**. Perahia further discloses:

 wherein said legacy preamble further comprises at least one SIGNAL field (see at least Figure 5 and column 6 lines 52-57).

Regarding **claim 23** (original), Perahia discloses the limitations as shown in the rejection of claim **15**. Perahia further discloses:

wherein said legacy preamble is an 802.11 a/g preamble (see at least column 6 lines 32-36).

Regarding **claim 25** (original), Perahia discloses the limitations as shown in the rejection of claim **15**. Perahia further discloses:

• wherein N is two and wherein said two transmit antennas comprises (see at least Figure 1-3) transmit a legacy preamble having at least one long training symbol and one additional long training symbol (e.g. total of 2 LTS) on each of said two transmit antennas (see at least Figure 5), wherein half of the subcarriers(e.g. subcarrier 0-31 of the 64 subcarriers, along with the subcarrier 32-64 of the 64 subcarriers) of the long training symbol are in a first subcarrier group (as applied to the first antenna) and the remaining half (e.g. subcarrier 32-64 of the 64 subcarriers, along with the subcarrier 0-31 of the 64 subcarriers) of the subcarriers of the long training symbol are in a second subcarrier group(e.g. as applied to the second antenna) (see at least column 3 lines 54-60, column 4 lines 17-22 and column 5 lines 16-27).

Regarding **claim 26** (original), Perahia discloses the limitations as shown in the rejection of claim **15**. Perahia further discloses:

 whereby a lower order receiver (e.g. SISO receiver) can interpret said transmitted data(see at least column 9 lines 44-65).

Art Unit: 2617

Regarding **claim 27** (currently amended), Perahia discloses a method for receiving data (see at least Figure 2) on at least one receive antenna transmitted by a transmitter having N (see at least column 4 lines 16-21) transmit antennas in a multiple antenna communication system, said method comprising the steps of:

- receiving a legacy preamble having at least one long training symbol and an indication of a duration of a transmission of said data,
 - and at least one additional long training symbols on each of said N
 transmit antennas(see at least column Figure 5 lines 24-45),
 - each of said long training symbols having a plurality of subcarriers (e.g. 64 subcarrier values) of subcarriers (see at least column 3 lines 50-67),
 - wherein said subcarriers are grouped into a plurality of subcarrier groups(e.g. by virtue of multiple antennas, each of these antennas is used to transmit OFDM symbols modulated by a group of 64 subcarriers, e.g. two antennas requires two groups of 64 sub-carriers, see at least column 3 lines 54-60, column 4 lines 17-22 and column 5 lines 16-27),
 - and wherein each subcarrier group <u>comprises two or more adjacent</u> <u>subcarriers</u> (e.g. "a <u>series</u> of 64 subcarriers values", therefore 64 adjacent subcarriers) <u>and</u> is transmitted on a different transmit antenna in a given time interval (see at least column 3 lines 54-60, column 4 lines 17-22 and column 5 lines 16-27);
- and deferring for an indicated duration (see at least Figure 5 and column 6 lines 38-45).

Regarding **claim 28** (original), Perahia discloses the limitations as shown in the rejection of claim **27**. Perahia further discloses:

 wherein said method is performed by a SISO receiver (e.g. a receiver capable of SISO operation, see at least Figure 4, and column 9 lines 44-67)

Regarding **claim 29** (original), Perahia discloses the limitations as shown in the rejection of claim **27** and **29**. Perahia further discloses:

 wherein said indication is transmitted in a SIGNAL field that complies with the 802.11 a/g standards (see at least column 6 lines 47-57).

Regarding **claim 30** (currently amended), Perahia discloses *a receiver* (i.e. wireless bridge as shown Figure.1) *in a multiple antenna communication system having at least one transmitter having N* (see at least column 4 lines 16-21) *transmit antennas* (see at least Figure 3), *comprising:*

- at least one receive antenna for receiving a legacy preamble having at least one long training symbol and an indication of a duration of a transmission of said data(see at least column Figure 5 lines 24-45),,
 - and N-1 additional (see at least column Figure 5 lines 24-45, where N is 2 in Perahia's instant embodiment) long training symbols on each of said N transmit antennas.
 - each of said long training symbols having a plurality (e.g. 64 subcarrier values) of subcarriers (see at least column 3 lines 50-67),
 - wherein said subcarriers are grouped into a plurality of subcarrier
 groups(e.g. by virtue of multiple antennas, each of these antennas is used

Art Unit: 2617

to transmit OFDM symbols modulated by a group of 64 subcarriers, e.g. two antennas requires two groups of 64 sub-carriers, see at least column 3 lines 54-60, column 4 lines 17-22 and column 5 lines 16-27),

- and wherein each subcarrier group <u>comprises tow or more adjacent</u> <u>subcarriers</u> (e.g. "a <u>series</u> of 64 subcarriers values", therefore 64 adjacent subcarriers)<u>and</u> is transmitted on a different transmit antenna in a given time interval (see at least column 3 lines 54-60, column 4 lines 17-22 and column 5 lines 16-27);
- and means for deferring for said indicated duration of said transmission of said
 data (see at least Figure 5 and column 6 lines 38-45).

Claim Rejections - 35 USC § 103

- 7. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 8. Claim 2, 5, 6, 11, 16, 19, 20 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Perahia in view of US 20040141548 A1 Shattil (hereinafter Shattil).

Regarding **claim 2** (currently amended), Perahia discloses the limitations as shown in the rejection of claim **1**. Perahia further discloses that the subcarriers used to modulate a symbol can be grouped (e.g. specified, see at least column 6 lines 58-65). Perahia does not disclose that *the* grouping *is based on a blocking technique*. However, in an analogous field of endeavor, Shattil teaches using different sets (blocks of subcarrier, more specifically when one block of subcarrier is used to modulate a symbol, the said

block of subcarrier thus blocking other subcarriers from being used, therefore a blocking technique) of subcarriers to transmit symbols (see at least Shattil paragraph [0081]). It would have been obvious to a person of ordinary skill in the art to modify Perahia by applying the blocking technique taught by Shattil in order to improve efficiency and performance, as discussed by Shattil.

Regarding **claim 5** (original), Perahia discloses the limitations as shown in the rejection of claim **1**. Perahia further discloses that the subcarriers used to modulate a symbol can be grouped (e.g. specified, see at least column 6 lines 58-65). Perahia does not specifically teach *wherein said subcarrier groups transmitted by a given transmit antenna are varied for each of the N long training symbols transmitted by said given transmit antenna*. However, in an analogous field of endeavor, Shattil teaches using different groups of subcarriers to modulate a symbol (see at least Shattil paragraph [0081]). It would have been obvious to a person of ordinary skill in the art to modify Perahia in view of Shattil in order to improve efficiency and performance, as discussed by Shattil.

Regarding **claim 6** (original), Perahia discloses the limitations as shown in the rejection of claim **1** and **5**. Perahia further discloses that the subcarriers used to modulate a symbol can be grouped (e.g. specified, see at least column 6 lines 58-65). Perahia does not specifically teach wherein after transmission of said N long training symbols by each of said N transmit antennas, each of said N transmit antennas has transmitted each subcarrier of said long training symbols only once. However, in an analogous field of endeavor, Shattil teaches using different groups of subcarriers to modulate a symbol

(see at least Shattil paragraph [0081], therefore if a different set of subcarrier is applied to a different symbol e.g. the mapping is one to one, then the set of subcarriers will only be transmitted once for that series of symbols). It would have been obvious to a person of ordinary skill in the art to modify Perahia in view of Shattil in order to improve efficiency and performance, as discussed by Shattil.

Regarding **claim 11** (currently amended), Perahia discloses the limitations as shown in the rejection of claim **1**. Perahia does not specifically teach *wherein each of said long training symbols are orthogonal in the frequency domain.* However, in an analogous field of endeavor, Shattil teaches using different groups of subcarriers to modulate a symbol (see at least Shattil paragraph [0081], therefore symbols modulated by different groups of subcarriers, which are orthogonal due to the nature of OFDM, are orthogonal as well). It would have been obvious to a person of ordinary skill in the art to modify Perahia in view of Shattil in order to improve efficiency and performance, as discussed by Shattil.

Regarding **claim 16** (currently amended), Perahia discloses the limitations as shown in the rejection of claim **15**. Perahia further discloses that the subcarriers used to modulate a symbol can be grouped (e.g. specified, see at least column 6 lines 58-65). Perahia does not disclose that *the* grouping *is based on a blocking technique*. However, in an analogous field of endeavor, Shattil teaches using different sets (blocks of subcarrier, more specifically when one block of subcarrier is used to modulate a symbol, the said block of subcarrier thus blocking other subcarriers from being used, therefore a blocking technique) of subcarriers to transmit symbols (see at least Shattil paragraph [0081]). It

would have been obvious to a person of ordinary skill in the art to modify Perahia by applying the blocking technique taught by Shattil in order to improve efficiency and performance, as discussed by Shattil.

Regarding **claim 19** (original), Perahia discloses the limitations as shown in the rejection of claim **15** and **18**. Perahia further discloses that the subcarriers used to modulate a symbol can be grouped (e.g. specified, see at least column 6 lines 58-65). Perahia does not specifically teach *wherein said subcarrier groups transmitted by a given transmit antenna are varied for each of the N long training symbols transmitted by said given transmit antenna. However, in an analogous field of endeavor, Shattil teaches using different groups of subcarriers to modulate a symbol (see at least Shattil paragraph [0081]). It would have been obvious to a person of ordinary skill in the art to modify Perahia in view of Shattil in order to improve efficiency and performance, as discussed by Shattil.*

Regarding **claim 20** (original), Perahia discloses the limitations as shown in the rejection of claim **15**, **18** and **19**. Perahia further discloses that the subcarriers used to modulate a symbol can be grouped (e.g. specified, see at least column 6 lines 58-65). Perahia does not specifically teach *wherein after transmission of said N long training symbols by each of said N transmit antennas, each of said N transmit antennas has transmitted each subcarrier of said long training symbols only once. However, in an analogous field of endeavor, Shattil teaches using different groups of subcarriers to modulate a symbol (see at least Shattil paragraph [0081], therefore if a different set of subcarrier is applied to a different symbol e.g. the mapping is one to one, then the set of*

Art Unit: 2617

subcarriers will only be transmitted once for that series of symbols). It would have been obvious to a person of ordinary skill in the art to modify Perahia in view of Shattil in order to improve efficiency and performance, as discussed by Shattil.

Regarding **claim 24** (currently amended), Perahia discloses the limitations as shown in the rejection of claim **15**. Perahia does not specifically teach *wherein each of said long training symbols are orthogonal in the frequency domain*. However, in an analogous field of endeavor, Shattil teaches using different groups of subcarriers to modulate a symbol (see at least Shattil paragraph [0081], therefore symbols modulated by different groups of subcarriers, which are orthogonal due to the nature of OFDM, are orthogonal as well). It would have been obvious to a person of ordinary skill in the art to modify Perahia in view of Shattil in order to improve efficiency and performance, as discussed by Shattil.

9. Claim 3, 7, 17 and 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Perahia in view of US 20030123381 A1 Zhuang et al. (hereinafter Zhuang). Regarding claim 3 (currently amended), Perahia discloses the limitations as shown in the rejection of claim 1. Perahia further discloses that the subcarriers used to modulate a symbol can be grouped (e.g. specified, see at least column 6 lines 58-65). Perahia does not specifically teach the grouping is *based on an interleaving technique*. However, in an analogous field of endeavor, Zhuang discloses modulating OFDM symbol over interleaved subcarriers (i.e. interleaving technique). it would have been obvious to a person of ordinary skill in the art to modify Perahia in view of Zhuang in

order to fully realized the advantage of OFDM system as discussed by Zhuang(see at least Zhuang paragraph [0002]).

Page 15

Regarding **claim 7** (original), Perahia discloses the limitations as shown in the rejection of claim **1**. Perahia does not specifically disclose *wherein a sequence of each of said long training symbols on each of said N transmit antennas are orthogonal.* However, in an analogous field of endeavor, Zhuang discloses modulating OFDM symbol using different subcarriers for different antenna (see at least paragraph [0019]), therefore symbols on each of the transmit antennas will be orthogonal due to modulation by orthogonal subcarriers. it would have been obvious to a person of ordinary skill in the art to modify Perahia in view of Zhuang in order to fully realized the advantage of OFDM system as discussed by Zhuang (see at least Zhuang paragraph [0002]).

Regarding **claim 17** (currently amended), Perahia discloses the limitations as shown in the rejection of claim **15**. Perahia further discloses that the subcarriers used to modulate a symbol can be grouped (e.g. specified, see at least column 6 lines 58-65). Perahia does not specifically teach the grouping is *based on an interleaving technique*. However, in an analogous field of endeavor, Zhuang discloses modulating OFDM

symbol over interleaved subcarriers (i.e. interleaving technique). it would have been obvious to a person of ordinary skill in the art to modify Perahia in view of Zhuang in order to fully realized the advantage of OFDM system as discussed by Zhuang(see at least Zhuang paragraph [0002]).

Regarding **claim 21** (original), Perahia discloses the limitations as shown in the rejection of claim **15**. Perahia does not specifically disclose *wherein a sequence of each*

Art Unit: 2617

of said long training symbols on each of said N transmit antennas are orthogonal. However, in an analogous field of endeavor, Zhuang discloses modulating OFDM symbol using different subcarriers for different antenna (see at least paragraph [0019]), therefore symbols on each of the transmit antennas will be orthogonal due to modulation by orthogonal subcarriers. it would have been obvious to a person of ordinary skill in the art to modify Perahia in view of Zhuang in order to fully realized the advantage of OFDM system as discussed by Zhuang (see at least Zhuang paragraph [0002]).

10. Claim 14 rejected under 35 U.S.C. 103(a) as being unpatentable over Perahia in view of US 7103325 B1 Jia et al.(hereinafter Jia)

Regarding **claim 14** (original), Perahia discloses the limitations as shown in the rejection of claim 1. Perahia does not specifically discloses *transmitting a field indicating said number N of transmit antennas*. However, in an analogous field of endeavor, Jia teaches transmitting to a receiver information regarding number of antennas used for communication (see at least column 6 lines 46-49 and column 8 lines 67 and column 9 lines 1-2). It would have been obvious to a person of ordinary skill in the art to modify Perahia in view of Jia to transmit the information regarding number of antennas used for the transmission in order to efficiently configure the communication device as taught by Jia.

Response to Arguments

11. Applicant's arguments filed on 6/11/2009 have been fully considered but they are not persuasive.

Regarding independent claim 1, 15, 27 and 30, Applicant submits that the cited prior art Perahia does not teach or suggest grouping of subcarriers into a plurality of subcarrier groups, Applicant further submits that Perahia does not teach that each subcarrier group comprises two or more adjacent subcarriers (see at least Applicant's remarks page 8).

The Examiner respectfully disagrees. The Examiner points to Perahia column 3 lines 54-60, column 4 lines 17-22 and column 5 lines 16-27, where Perahia discloses transmitting via multiple antennas. According to Perahia, each of these antennas is used to transmit OFDM symbols, wherein each OFDM symbol is modulated by a group of 64 subcarriers, therefore, each transmission of OFDM symbols on multiple antennas constitutes as grouping of subcarriers e.g. two antennas requires two groups of 64 subcarriers. Furthermore, according to Perahia (see column 3 lines 54-60), for each OFDM symbol transmitted, "a series of 64 subcarrier values" are apply to it, therefore, the OFDM symbol is modulated onto the group of 64 adjacent subcarriers.

Conclusion

12. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not

mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to YU (Andy) GU whose telephone number is (571)270-7233. The examiner can normally be reached on Mon-Thur 8:30-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lester G. Kincaid can be reached on 5712727922. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/YU (Andy) GU/ Examiner, Art Unit 2617

Art Unit: 2617

/Lester Kincaid/ Supervisory Patent Examiner, Art Unit 2617